

Before

6 Weeks After



[CASE 01]

3 stacking, 75J/cm², total 70 shot
 Abdominal Girth Reduction : - 3 cm (upper), - 4.5 cm (lower)

Before

6 Weeks After




[CASE 03]

3 stacking, total 65 shot
 100J/cm²:1st stacking, 95J/cm²:2nd stacking, 90/cm²:3rd stacking (service mode)
 Abdominal Girth Reduction : - 4 cm (upper), - 9 cm (navel), - 3 cm (lower)

Before

7 Weeks After



[CASE 02]

No Data
 Abdominal Girth Reduction : - 2 cm (upper), - 4 cm (navel), - 5.5 cm (lower)

Before

6 Weeks After



[CASE 03]

3 stacking, total 65 shot
 100J/cm²:1st stacking, 95J/cm²:2nd stacking, 90/cm²:3rd stacking (service mode)
 Abdominal Girth Reduction : - 4 cm (upper), - 9 cm (navel), - 3 cm (lower)

Before 2 Months After



[CASE 04]
 3 stacking, total 116 shot
 90J/cm²:1st stacking, 85J/cm²:2nd stacking, 80/cm²:3rd stacking (service mode)
 Abdominal Girth Reduction : - 6 cm (upper), - 3 cm (navel), - 3.5 cm (lower)

Before 2 Months After



[CASE 04]
 3 stacking, total 116 shot
 90J/cm²:1st stacking, 85J/cm²:2nd stacking, 80/cm²:3rd stacking (service mode)
 Abdominal Girth Reduction : - 6 cm (upper), - 3 cm (navel), - 3.5 cm (lower)

Before 2 Months After



[CASE 04]
 3 stacking, total 116 shot
 90J/cm²:1st stacking, 85J/cm²:2nd stacking, 80/cm²:3rd stacking (service mode)
 Abdominal Girth Reduction : - 6 cm (upper), - 3 cm (navel), - 3.5 cm (lower)

Before 2 Months After



[CASE 05]
 3 stacking, 80J/cm², total 92 shot
 Abdominal Girth Reduction : - 5 cm (lower), - 7.6 cm (right)

Before

2 Months After




[CASE 05]

3 stacking, 80J/cm², total 92 shot
Abdominal Girth Reduction : - 5 cm (lower), - 7.6 cm (right)

Before

After



[CASE 07]

No Data

Before

2 Weeks After




[CASE 06]

3 stacking, 80J/cm², total 96 shot
Abdominal Girth Reduction : - 3 cm (lower), - 3.5 cm (right)

Before

After



[CASE 08]

No Data